

# Increasing the power of the verifier in Quantum Zero Knowledge

**André Chailloux and Iordanis Kerenidis\***

CNRS - LRI  
Université Paris-Sud  
{chaillou, jkeren}@lri.fr

## ABSTRACT.

In quantum zero knowledge, the assumption was made that the verifier is only using unitary operations. Under this assumption, many nice properties have been shown about quantum zero knowledge, including the fact that Honest-Verifier Quantum Statistical Zero Knowledge (*HVQSZK*) is equal to Cheating-Verifier Quantum Statistical Zero Knowledge (*QSZK*) (see [17, 18]).

In this paper, we study what happens when we allow an honest verifier to flip some coins in addition to using unitary operations. Flipping a coin is a non-unitary operation but doesn't seem at first to enhance the cheating possibilities of the verifier since a classical honest verifier can flip coins. In this setting, we show an unexpected result: any classical Interactive Proof has an Honest-Verifier Quantum Statistical Zero Knowledge proof with coins. Note that in the classical case, honest verifier *SZK* is no more powerful than *SZK* and hence it is not believed to contain even *NP*. On the other hand, in the case of cheating verifiers, we show that Quantum Statistical Zero Knowledge where the verifier applies any non-unitary operation is equal to Quantum Zero-Knowledge where the verifier uses only unitaries.

One can think of our results in two complementary ways. If we would like to use the honest verifier model as a means to study the general model by taking advantage of their equivalence, then it is imperative to use the unitary definition without coins, since with the general one this equivalence is most probably not true. On the other hand, if we would like to use quantum zero knowledge protocols in a cryptographic scenario where the honest-but-curious model is sufficient, then adding the unitary constraint severely decreases the power of quantum zero knowledge protocols.

## 1 Introduction

Zero knowledge protocols propose an elegant way of doing formally secure identification. In these interactive protocols, a prover  $P$  knows a secret  $s$  and he wants to convince a verifier  $V$  that he knows  $s$  without revealing any information about  $s$ . The condition "without revealing any information" has been formalized in [3, 4] and this security condition has been defined in the computational (*CZK*) and the information-theoretic setting (*SZK*). Zero knowledge has been extensively studied and found numerous applications in theoretical computer science and cryptography (see [16] and references therein).

In addition, zero knowledge is defined for the case of honest or cheating verifiers. In the honest verifier model, we force the protocol to be zero knowledge only against a verifier who follows the protocol but tries to extract as much information as possible from the

---

\*Supported in part by ACI Sécurité Informatique SI/03 511 and ANR AlgoQP grants of the French Ministry and in part by the European Commission under the Integrated Project Qubit Applications (QAP) funded by the IST directorate as Contract Number 015848.

interaction. An honest verifier is equivalent to the ‘Honest-but-Curious’ or ‘Semi-Honest’ adversary in cryptography. This model has been widely studied in cryptography and is important in certain realistic scenarios (for example online protocols), where the protocols are used in complex interactions with limited capacity of cheating ([5], ch. 7). Moreover, in the case of classical zero knowledge it is particularly interesting, due to the fact that it is equivalent to the general Zero-Knowledge model against cheating verifiers [6].

In 2002, Watrous proposed a quantum equivalent of zero knowledge proofs [17] for the case of honest verifiers. In this definition, the prover and the verifier are allowed to use only unitary operations and the zero knowledge property is defined in a seemingly weaker way than in the classical case. Watrous proved many interesting results for this class, such as complete problems, closure properties and a few years later, that honest verifier equals cheating verifier (i.e.  $HVQSZK = QSZK$ ) [18]. These results provided strong *a posteriori* evidence that Watrous’ definition is the right one for quantum Zero Knowledge.

In this paper, we revisit the definition of quantum zero knowledge and examine the importance of the unitarity constraint. First, we increase the power of the honest verifier by allowing him to flip classical coins in addition to performing unitary quantum operations. Note that flipping classical coins is not a unitary operation and that coin flips are also allowed in the classical case. In this new setting, we also strengthen the definition of simulation in order to still catch the essence of Zero-Knowledge protocols. In particular, the verifier does not “forget” or “erase” these coins, since he remains honest but curious. Even though this augmentation to the model seems minimal if not trivial, we prove that any classical interactive proof has a quantum honest-verifier statistical zero-knowledge proof (Section 3) with coins. Note that in the classical case, honest verifier  $SZK$  is no more powerful than  $SZK$  and hence it is not believed to contain even  $NP$ . If, on the other hand, we look at cheating verifiers, we show that the most general cheating strategies for quantum verifiers are the unitary ones. In Section 4, we transform any general Zero Knowledge protocol into a unitary protocol that retains completeness, soundness and the zero-knowledge property.

We like to see the consequences of our results from two different points of view. On one hand, if we want to use the honest verifier model as a means for the study of general zero knowledge, then the most important property that we would like is the equivalence of the two models. This way, one only needs to prove that a protocol is zero knowledge against honest verifiers and immediately conclude that it can also be made zero knowledge against cheating verifiers. Our results show that in this case, Watrous’ definition with unitaries is indeed the right one, since we give strong evidence that this equivalence does not hold in the non-unitary case. Moreover, we prove that the use of non-unitaries does not change the power of a cheating verifier.

On the other hand, the Honest-but-Curious model (that corresponds to the honest verifier) is not only a means for the study of the malicious model (that corresponds to the cheating verifier) but an important model in itself pertinent to many realistic cryptographic scenarios. For example, in certain settings, we can assume that the verifier is semi-honest when he interacts with the prover via a secure interface, eg. an ATM or a secure web interface. In this case, it might suffice to assume that the verifier does not open the ATM by force or hack the webpage, instead he can only provide well-chosen legal inputs to these machines and try to extract as much information as possible from the interaction.

## 2 Definitions of classical and quantum Statistical Zero Knowledge

An *interactive proof system* for a problem  $\Pi$  is an interactive protocol between a computationally unbounded prover  $P$  and a probabilistic polynomial-time verifier  $V$  that satisfies the following two properties:

- *Completeness*: if  $x$  is a YES instance of  $\Pi$  ( $x \in \Pi_Y$ ), then  $V$  will accept with probability greater than  $2/3$  after interacting with  $P$  on common input  $x$ .
- *Soundness*: if  $x$  is a NO instance of  $\Pi$  ( $x \in \Pi_N$ ), then for every (even computationally unbounded) prover strategy  $P^*$ ,  $V$  will accept with probability less than  $1/3$  after interacting with  $P^*$  on common input  $x$ .

**DEFINITION 1.** We say that a protocol  $\langle P, V \rangle$  solves  $\Pi$  if and only if  $\langle P, V \rangle$  is an interactive proof system for  $\Pi$ .

In the classical Zero-Knowledge setting, we want the Verifier to learn nothing from the interaction with the Prover, other than the fact that the input is a Yes instance of the problem ( $x \in \Pi_Y$ ) when it is the case. The way this is formalized is that for  $x \in \Pi_Y$ , one can simulate in probabilistic polynomial-time the Verifier's view of the protocol  $view_{\langle P, V \rangle}(x)$ , i.e. his private coins, the messages he received from the Prover and the messages he sent to the Prover. Note that the view is a distribution depending on the random coins of the Prover and the Verifier and contains all the information that the Verifier gains by interacting with the Prover. Specifically,

**DEFINITION 2.** A protocol  $\langle P, V \rangle$  has the zero-knowledge property for  $\Pi$  if there exists a probabilistic polynomial-time simulator  $S$  and a negligible function  $\mu$  such that for  $\forall x \in \Pi_Y$ , the simulator outputs a distribution  $S(x)$  such that  $|view_{\langle P, V \rangle}(x) - S(x)|_1 \leq \mu(|x|)$ .

In our discussion so far, we have considered the case where the Verifier honestly follows the protocol but tries to extract as much information as possible from the interaction with the Prover. In order to do that, the Honest Verifier would keep a copy of all the messages and his coins throughout the protocol and would not erase or discard any of this information.

We can now define the class of Honest Verifier Statistical Zero Knowledge (HVSZK):

**DEFINITION 3.**  $\Pi \in HVSZK$  iff there exists an interactive protocol  $\langle P, V \rangle$  that solves  $\Pi$  and that has the zero-knowledge property for  $\Pi$ .

### 2.1 Honest Verifier Quantum Statistical Zero Knowledge

Quantum Statistical Zero Knowledge proofs are a special case of Quantum Interactive Proofs. They were defined for honest verifiers by Watrous in [17] and have been also studied in [8, 18, 9]. We can think of a quantum interactive protocol  $\langle P, V \rangle(x)$  for a promise problem  $\Pi$  as a circuit  $(V_1(x), P_1(x), \dots, V_k(x), P_k(x))$  acting on  $\mathcal{V} \otimes \mathcal{M} \otimes \mathcal{P}$ .  $\mathcal{V}$  are the Verifier's private qubits,  $\mathcal{M}$  the message qubits and  $\mathcal{P}$  the Prover's private qubits.  $V_i(x)$  (resp.  $P_i(x)$ ) represents the  $i^{\text{th}}$  action of the Verifier (resp. of the prover) during the protocol and is described by a super-operator acting on  $\mathcal{V} \otimes \mathcal{M}$  (resp. on  $\mathcal{M} \otimes \mathcal{P}$ ).  $\beta_i$  corresponds to the state

in  $\mathcal{V} \otimes \mathcal{M} \otimes \mathcal{P}$  after the  $i^{\text{th}}$  action of the protocol. In other words,  $\beta_0$  is the initial state,  $\beta_{2i}$  is the state after  $P_i$  and  $\beta_{2i-1}$  the one after  $V_i$ .

Defining the Zero-Knowledge property in the quantum setting is not straightforward, even for the Honest Verifier case. We would still like to say that a quantum protocol has the zero knowledge property if there exists an efficient way to simulate the Verifier's view of the protocol. The main difficulty, however, is the definition of the view of the Verifier, since in the quantum case there is no notion of transcript. Indeed, the Verifier and Prover send the same qubits back and forth during the protocol and hence an Honest-but-curious Verifier cannot follow the protocol and simultaneously keep a copy of all the quantum messages that have been previously sent.

Watrous ([17]) tried to resolve these problems by defining honest verifier quantum zero knowledge in the following way: the view of the Honest Verifier for every round  $j$  is the Verifier's part of the state  $\beta_j$ , i.e.  $view_{\langle P, V \rangle}(j) = Tr_{\mathcal{P}}(\beta_j)$ . We say that the Verifier's view can be simulated if there is a negligible function  $\mu$  such that on any input  $x$  and for each step  $j$  we can create in quantum polynomial-time a state  $\sigma_j$  such that  $\|\sigma_j - view_{\langle V, P \rangle}(j)\| \leq \mu(|x|)$ .

We also distinguish the Verifier's view depending on whether the last action was made by the Verifier or the Prover. We note  $\rho_0$  the input state,  $\rho_i$  the Verifier's view after  $P_i$  and  $\xi_i$  the Verifier's view after  $V_i$ . Note that for a state  $\sigma$  with  $\|\sigma - \rho_i\| \leq \mu(|x|)$  it is easy to see that  $\sigma' = V_{i+1}(\sigma)$  is close to  $\xi_{i+1} = V_{i+1}(\rho_i)$  in the sense that  $\|\sigma' - \xi_{i+1}\| \leq \mu(|x|)$ . Hence, we just need to simulate the  $\rho_i$ 's and hence

**DEFINITION 4.** *A protocol  $\langle P, V \rangle$  has the zero-knowledge property for  $\Pi$  if there is a negligible function  $\mu$  such that  $\forall x \in \Pi_Y$  and  $\forall j$  we can create  $\sigma_j$  with quantum polynomial computational power such that  $\|\sigma_j - \rho_j\|_{tr} \leq \mu(|x|)$ .*

Let us look more closely to the 'round-by-round' definition of the simulation. First, the fact that we simulate the verifier's view at every round and not just at the end of the protocol ensures that the zero knowledge property is retained even if the Honest Verifier follows the protocol up to some round and then decides to abort.

Second, in order for this definition to be pertinent in the honest but curious model, we need to ensure that the verifier will retain all the information that he acquires during the protocol and not forget any of it. One way to ensure this is by restricting the verifier to use only unitary operations. The intuition is that since unitary operations are reversible, they do not allow for 'forgetting' any information. This is precisely the way Watrous defined the class of Honest Verifier Quantum Statistical Zero Knowledge (HVQSZK):

**DEFINITION 5.**  *$\Pi \in HVQSZK$  iff there exists a quantum protocol  $\langle P, V \rangle$  with  $V$  using only unitaries that solves  $\Pi$  and that has the zero-knowledge property for  $\Pi$ .*

The above intuition was later confirmed by the fact that indeed Honest Verifier Quantum Statistical Zero Knowledge with unitaries is equivalent to general cheating verifiers ([18]).

## 2.2 The coin model for Honest Verifier Quantum Zero-Knowledge

As we said, we would like to investigate the importance of the unitarity constraint in the power of quantum zero knowledge. For this, we define and study a new model for quantum

zero-knowledge protocols, where we just allow the verifier to flip classical coins in addition to performing unitary operations. This is equivalent to saying that the verifier starts with a private random string  $r^*$  or in a quantum language that the verifier starts with some private qubits initialized to  $|0\rangle$  – acting as the verifier usual workspace, and additionally some qubits in the totally mixed state  $\mathbb{I}$  – acting as the verifier’s initial coins. The verifier uses his coins (the state  $\mathbb{I}$ ) only as control bits. More formally, if we suppose that the verifier starts with the state  $\mathbb{I} \otimes |0\rangle\langle 0|$  in the space  $\mathcal{A} \otimes \mathcal{B}$ , then he can only use the space  $\mathcal{A}$  by applying unitaries of the form:

$$U(|x\rangle, |y\rangle) = |x\rangle \otimes |y \oplus f(x)\rangle \quad \text{with } |x\rangle \in \mathcal{A} \text{ and } |y\rangle \in \mathcal{B}$$

Note that this constraint just implies that the verifier doesn’t forget his coins. In particular, he does not discard these bits by sending them to the prover.

In this case, of course, one needs to be very careful with the definition of the simulation since now, the Verifier has the extra classical information of the coins. Since the interaction is quantum we still have to consider a ‘round-by-round’ simulation. However, in our definition of the ‘round-by-round’ simulation we need to insist that one must simulate the entire private random string of the verifier in addition to the quantum view of the Verifier.

Note that apart from these additional initial coins, the verifier is allowed to use only unitaries like in the original definition of *HVQSZK*. We can now define *HVQSZK<sup>C</sup>*:

**DEFINITION 6.**  $\Pi \in HVQSZK^C$  iff, there exists a quantum protocol  $\langle P, V \rangle$ , where the verifier’s initial state is  $(|0\rangle\langle 0|)^{\otimes n} \otimes \mathbb{I}_n$ , that solves  $\Pi$  and has the zero-knowledge property for  $\Pi$ . The verifier uses only unitaries and uses his coins (the state  $\mathbb{I}_n$ ) only as control bits.

This model is meant to be a very small augmentation of the original model proposed by Watrous. Note that the verifier is not able to create by himself the totally mixed state using only unitaries. It is important to notice that the requirement “the prover uses the state  $\mathbb{I}_n$  as control bits” means that these coins are always part of his view of the protocol or in other words that he never forgets his coins.

### 2.3 The hidden-bits model for Statistical Zero-Knowledge

The hidden-bits model was first defined for Non-Interactive Zero-Knowledge [2], however, it naturally extends to the interactive case.

**DEFINITION 7.** We say that the prover has a hidden-bit  $r$  with security parameter  $k$  iff:

- $r$  is a truly random bit known to the prover.
- The verifier has no information about  $r$ .
- The prover can reveal the value of the bit  $r$  to the Verifier. If he tries to convince the Verifier that the value is  $\bar{r}$  then he will be caught with probability  $(1 - 2^{-k})$ .

**DEFINITION 8.**  $\Pi \in HVSZK^{HB}$  iff there exists a classical protocol  $\langle P, V \rangle$  that solves  $\Pi$  and has the zero-knowledge property for  $\Pi$  where the prover starts with a polynomial number of hidden bits.

We can also define the associated quantum class

**DEFINITION 9.**  $\Pi \in HVQSZK^{HB}$  iff there exists a quantum protocol  $\langle P, V \rangle$  that solves  $\Pi$  and has the zero-knowledge property for  $\Pi$  where the prover starts with a polynomial number of hidden bits.

Note that the existence of hidden-bits is a very strong assumption. In particular, we can remark that hidden-bits imply that the prover and verifier can perform bit commitment with perfect hiding and statistically binding conditions. Bit commitment is a primitive used in many cryptographic protocols. More formally:

**DEFINITION 10.** A bit commitment scheme with perfect hiding condition and statistically binding condition with security parameter  $k$  is a scheme with a commit phase and a reveal phase such that:

- *Commit phase:* the prover chooses a bit  $c$  and commits to it by interacting with the verifier. At the end of the interaction, the verifier has no information about  $c$  (perfectly hiding).
- *Reveal phase:* the prover sends a message to the verifier and reveals the committed bit  $c$ . If the prover tries to cheat and reveal  $\bar{c}$  then he will be caught by the verifier with probability greater than  $(1 - 2^{-k})$  (statistically binding).

Note that both classically and quantumly, bit commitment schemes with  $k \geq 1$  do not exist unconditionally [11, 12]. However, there is an easy way to do bit commitment which is perfectly hiding and statistically binding with security parameter  $k$  from a hidden bit  $r$  with security parameter  $k$ . The prover commits to a bit  $c$  by sending  $c \oplus r$  and later reveals  $r$ . After the commit phase the verifier has no information about  $r$  (and hence  $c$ ) and during the reveal phase the prover cannot lie about  $r$  (and hence  $c$ ) without being caught with probability at least  $(1 - 2^{-k})$ . Hence, this scheme is a commitment scheme which is perfectly hiding and statistically binding with security parameter  $k$ .

Classically, if we suppose the existence of such a bit commitment scheme, we can create zero-knowledge protocols for all interactive proofs [1] and since Shamir showed that  $IP = PSPACE$  [15], we have

$$PSPACE = IP \subseteq HVSZK^{HB}$$

### 3 The role of coins in Quantum Statistical Zero-Knowledge

In this section we prove our main result, that  $HVSZK^{HB} \subseteq HVQSZK^C$  which implies that  $PSPACE \subseteq HVQSZK^C$ . We will first present a general method to create hidden-bits out of shares. We will then show a way to achieve these shares with a quantum honest verifier that has coins.

#### 3.1 A general method for creating hidden-bits

The method described here is the one used in [14] to create hidden bits from secret help, which in turn uses ideas from [7] in order to do Oblivious Transfer. For clarity of exposition, we show how to hide a single bit, but the construction naturally generalizes to  $n$  bits by repeating in parallel.

**PROPOSITION 11.** *Let three random bits  $(s^0, s^1, b)$  be such that: the prover knows  $s^0$  and  $s^1$  and has no information about  $b$ ; the verifier knows  $b$  and the associated bit  $s^b$  but has no information about  $s^{\bar{b}}$ . Then we can create a hidden bit  $r$  with security parameter  $k = 1$ .*

**PROOF.** From these bits, the associated hidden bit will be  $r = s^0 \oplus s^1$  and  $s^0, s^1$  will be called the shares of  $r$ . The way the prover will reveal  $r$  is by sending these two shares to the verifier who checks that they correspond with the one share he has. We now show that  $r$  is a hidden bit with security parameter 1:

- Since  $s^0$  and  $s^1$  are random and known to the prover, then so is  $r$ .
- Since the verifier knows  $s^b$  but has no information about  $s^{\bar{b}}$ , he has no information about  $r$ .
- If the prover tries to lie about  $r$  then he has to flip exactly one of the two shares. He will get caught if he flips  $s^b$  and will not get caught if he flips  $s^{\bar{b}}$ . Since he has no information about  $b$ , he will be caught cheating with probability  $1/2$ .

Note that if we have for each hidden bit  $r$ ,  $k$  independent random couples of shares  $(s_k^0, s_k^1)$  such that  $s_k^0 \oplus s_k^1 = r$  then similarly, we can suppose that  $r$  is a hidden-bit with security parameter  $k$ .

### 3.2 A quantum way of achieving Hidden Bits

From the coins of the verifier, we now show how to create the shares described in the previous part. As before, we describe the construction of one hidden-bit which easily generalizes to  $n$  bits. We use three qubits of the verifier's initial totally mixed state (three coins) as  $\sum_{b,s^b,c \in \{0,1\}} |b, s^b, c\rangle \langle b, s^b, c|$ .

As in the previous part, the bit  $b$  corresponds to which share the Verifier has and  $s^b$  corresponds to the value of that share. The bit  $c$  corresponds to the value of the other share in the Hadamard basis, i.e. we define  $|c^\times\rangle = \frac{1}{\sqrt{2}}(|0\rangle + (-1)^c|1\rangle)$ . The verifier performs the unitary  $U_{b,s^b,c}$  that depends on  $(b, s^b, c)$  and sends the outcome to the Prover.

$$U_{0,s^b,c} : |0\rangle|0\rangle \rightarrow |s^b\rangle|c^\times\rangle \quad \text{and} \quad U_{1,s^b,c} : |0\rangle|0\rangle \rightarrow |c^\times\rangle|s^b\rangle$$

The prover has two qubits which he measures in the computational basis and the outcomes of this measurement will correspond to the two shares. One of this measurements will give  $s^b$  and the other one will give a random bit  $s^{\bar{b}}$ . The hidden bit  $r$  is equal to  $s^b \oplus s^{\bar{b}}$ .

**LEMMA 12.** *The above construction results in a hidden bit  $r$  with security parameter 1.*

**PROOF.**

- The bit  $r = s^b \oplus s^{\bar{b}}$  is random since the verifier picks  $s^b$  at random and the outcome of the measurement of  $|c^\times\rangle$  in the computational basis is also random (hence  $s^{\bar{b}}$  is random). Since the prover knows the two shares he knows  $r$ .
- The verifier knows a share  $s^b$  which is random since  $b$  is random. He has no information about the share  $s^{\bar{b}}$  since the outcome of the Prover's measurement of  $|c^\times\rangle$  is independent of the Verifier's coins. Hence he has no information about  $r$ .

- $b$  is unknown to the prover: to show this, let  $\rho_b$  be the state of the prover conditioned on the verifier's coin  $b$

$$\rho_0 = \begin{cases} wp. 1/4 & |0, +\rangle \\ wp. 1/4 & |0, -\rangle \\ wp. 1/4 & |1, +\rangle \\ wp. 1/4 & |1, -\rangle \end{cases} \quad \text{and} \quad \rho_1 = \begin{cases} wp. 1/4 & |+, 0\rangle \\ wp. 1/4 & |+, 1\rangle \\ wp. 1/4 & |-, 0\rangle \\ wp. 1/4 & |-, 1\rangle \end{cases}$$

We can easily see that  $\rho_0 = \rho_1$  hence the prover has no information about  $b$ . Moreover, since  $\rho_0 = \rho_1 = \mathbb{I}$ , the prover's state is equivalent to a mixture of classical pairs of shares. Since he has no information about  $b$ , the prover cannot cheat for any of those classical pairs of shares with probability strictly greater than  $1/2$ .

We can easily extend the above construction to a hidden-bit with security parameter  $k$  for any polynomial  $k$  (by creating  $k$  independent pairs of shares for this hidden-bit) and also to  $n$  hidden-bits with security parameter  $k$  by just repeating this process  $n$  times.

Note also that the unitary used by the verifier uses his coins only as control bits. Therefore, we can use this construction to create hidden bits in a way which is consistent with our enhanced notion of simulation and show that  $HVSZK^{HB} \subseteq HVQSZK^C$ . Let us prove this fact formally:

**PROPOSITION 13.**  $HVSZK^{HB} \subseteq HVQSZK^C$

PROOF.

Let  $\Pi$  a problem in  $HVSZK^{HB}$  and  $\langle P, V \rangle$  a classical zero-knowledge protocol with hidden-bits that solves  $\Pi$ . We create the following quantum protocol  $\langle P', V' \rangle$  where the verifier starts with the state:  $(|0\rangle\langle 0|)^{\otimes n} \otimes \mathbb{I}_n$  (acting as his workspace and coins).

- The verifier  $V'$  views his coins as the coins of the original verifier  $V$  and the coins needed in order to create hidden bits.
- In the beginning of the protocol the verifier uses our construction and creates hidden bits with security parameter  $k$ .
- Then, the prover and verifier both follow the original classical protocol  $\langle P, V \rangle$ . Note that this is possible since any classical circuit  $C$  can be transformed into a quantum unitary circuit  $U_C$  such that  $U_C(|x, 0\rangle) = |x, C(x)\rangle$ .

Note that since  $V'$  uses his coins as the private randomness of  $V$ , he can perform the classical protocol  $\langle P, V \rangle$  using unitaries.

We now prove that  $\langle P', V' \rangle$  is a Zero-Knowledge protocol that solves  $\Pi$ . Completeness is straightforward from the completeness of the original protocol and the fact that in our construction the prover can always reveal the correct hidden bits. Concerning soundness:

1. If the prover reveals all the hidden-bits correctly, the soundness of  $\langle P', V' \rangle$  is the same as the soundness of  $\langle P, V \rangle$ .
2. If the prover lies on at least one of the hidden-bits he reveals, then the soundness of  $\langle P', V' \rangle$  will be smaller than  $2^{-k}$  since the hidden-bits created have security parameter  $k$ .

To show the zero-knowledge property, we use the fact that we can already simulate the verifier's view in the protocol  $\langle P, V \rangle$ . This includes the private coins of  $V$ , the messages and in particular, all the hidden-bits  $r_i$  revealed by the prover.



In order to simulate the verifier’s view in the new protocol  $\langle P, V \rangle$  we have to additionally simulate the following:

- all the coins that the verifier  $V'$  used in order to create hidden bits.
- The  $k$  pairs of shares  $(s_i^0, s_i^1)_j, j \in [k]$  for every revealed hidden bit  $r_i$ .

First, the simulator just flips some coins in order to simulate all the random bits the verifier uses to construct the hidden bits. In particular, for every revealed hidden bit  $r_i$ , the simulator has the corresponding bits  $(b_i, s_i^b, c_i)_j, j \in [k]$ . From these bits and the value of  $r_i$  (which we know from the original simulation), we can now create all the couples of shares  $(s_i^0, s_i^1)_j$ . This allows us to simulate the view of the verifier in the protocol  $\langle P', V' \rangle$ .

**THEOREM 14.**  $PSPACE \subseteq HVQSZK^C$

**PROOF.** From Section 2.3 we know that:  $PSPACE \subseteq HVSZK^{HB}$ . We now use the fact that  $HVSZK^{HB} \subseteq HVQSZK^C$  and conclude.

One might think that this surprising result comes from the fact that the round-by-round simulation is too weak in our setting and that a satisfactory zero-knowledge property is not achieved. In fact, if we assume that the verifier follows the protocol, then our notion of simulation is as strong as in the unitary case. The only extra information that the verifier has in our protocols is the initial random string which we always simulate at every round.

## 4 Non-unitaries and cheating verifiers

### 4.1 Definitions

The goal of this section is to describe Watrous’ definition of Quantum Statistical Zero Knowledge (QSZK) for cheating verifiers. Consider a quantum zero-knowledge protocol between a prover  $P$  and a verifier  $V$  where the verifier starts with an auxiliary input  $w$ . Additionally, the prover and verifier have as common input the input of the promise problem which is a classical string. All the operations described hereafter will depend on this input and this dependence will be omitted.

We will use the following Hilbert spaces for our analysis.

- $\mathcal{P}$  the space of the prover.
- $\mathcal{M}$  the space where the prover and verifier store the messages they send.
- $\mathcal{V}$  the verifier’s workspace initialized to  $|0\rangle$ .
- $\mathcal{W}$  the verifier’s space where the auxiliary input is initially stored.

Let  $\langle P, V \rangle = \langle P_1, V_1, \dots, P_n, V_n \rangle$ . Each  $P_i$  acts on  $\mathcal{P} \otimes \mathcal{M}$  and each  $V_i$  acts on  $\mathcal{M} \otimes \mathcal{V} \otimes \mathcal{W}$ . We can tensor these operations with the identity and suppose that they all act on the space:  $\mathcal{P} \otimes \mathcal{M} \otimes \mathcal{V} \otimes \mathcal{W}$ . We can therefore see the whole protocol as a big operation  $O$  acting on  $\mathcal{P} \otimes \mathcal{M} \otimes \mathcal{V} \otimes \mathcal{W}$ . More formally:

**DEFINITION 15.** For any protocol  $\langle P_1, V_1, \dots, P_n, V_n \rangle$  where each  $V_i$  and  $P_i$  acts on  $\mathcal{P} \otimes \mathcal{M} \otimes \mathcal{V} \otimes \mathcal{W}$  (in fact by tensoring the  $V_i$ ’s and  $P_i$ ’s with the identity) we denote by  $O_{P,V}$  the following admissible mapping:

$$\begin{aligned}
 O_{P,V} : \mathcal{L}(\mathcal{W}) &\rightarrow \mathcal{L}(\mathcal{P} \otimes \mathcal{M} \otimes \mathcal{V} \otimes \mathcal{W}) \\
 : w &\rightarrow V_n(P_n(\dots(V_1(P_1(\underbrace{|0\rangle}_{\in \mathcal{P} \otimes \mathcal{M} \otimes \mathcal{V}} \otimes \underbrace{w}_{\in \mathcal{W}}))))))
 \end{aligned}$$

where  $\mathcal{L}(\mathcal{X}, \mathcal{Y})$  is the set of linear operators from  $\mathcal{X}$  to  $\mathcal{Y}$ , and  $\mathcal{L}(\mathcal{X}) = \mathcal{L}(\mathcal{X}, \mathcal{X})$ . In particular, any mixed state in  $\mathcal{X}$  can be represented as an element of  $\mathcal{L}(\mathcal{X})$ .

The zero-knowledge property concerns only what the verifier has at the end of the protocol. Without loss of generality, we can suppose that  $\mathcal{M}$  is empty since a cheating verifier can always move the information from  $\mathcal{M}$  to  $\mathcal{V}$  at the end of the protocol. Hence, we will be interested in:

$$O_V : \mathcal{L}(\mathcal{W}) \rightarrow \mathcal{L}(\mathcal{V} \otimes \mathcal{W})$$

$$: w \rightarrow \text{Tr}_{\mathcal{P} \otimes \mathcal{M}} \left( V_n(P_n(\dots (V_1(P_1(\underbrace{|0\rangle}_{\in \mathcal{P} \otimes \mathcal{M} \otimes \mathcal{V}} \otimes \underbrace{w}_{\in \mathcal{W}})))))) \right)$$

which for short we will also denote as  $O_V = \text{Tr}_{\mathcal{P} \otimes \mathcal{M}} O_{P,V}$ . More generally, for any super-operator  $X$  that outputs in  $\mathcal{A} \otimes \mathcal{B}$ , we denote  $\text{Tr}_{\mathcal{A}} X$  the super-operator such that  $(\text{Tr}_{\mathcal{A}} X)(\rho) = \text{Tr}_{\mathcal{A}}(X(\rho))$ . We say that  $O_V$  is the mapping that corresponds to the verifier's view of the protocol. We want to be able to simulate this mapping *i.e.* be able to create in quantum polynomial time a mapping  $\Sigma$  which will act like  $O_V$  and this for every auxiliary input  $w$ . We can now define QSZK:

**DEFINITION 16.** We say that  $\Pi \in \text{QSZK}$  if there is a protocol  $\langle P, V \rangle = \langle P_1, V_1, \dots, P_n, V_n \rangle$  such that:

- *Completeness:*  $\forall x \in \Pi_Y$ , the verifier accepts with probability greater than  $2/3$ .
- *Soundness:*  $\forall x \in \Pi_N$ , and for all prover's strategies  $P^*$ , the verifier accepts with probability smaller than  $1/3$ .
- *Zero-knowledge:* for any cheating verifier  $V^*$  (where  $O_{V^*}$  is the mapping associated to  $\langle P, V^* \rangle$ ), there is a function  $\mu$  and a mapping  $\Sigma : \mathcal{L}(\mathcal{W}) \rightarrow \mathcal{L}(\mathcal{V} \otimes \mathcal{W})$  that can be computed in quantum polynomial time such that  $\forall x \in \Pi_Y$ , we have

$$\|O_{V^*} - \Sigma\|_{\diamond} \leq \mu(|x|).$$

where for any super-operator  $\Phi$ ,  $\|\Phi\|_{\diamond} = \sup\{\|\Phi \otimes I_{\mathcal{L}(\mathcal{Z})}\|_{tr}, \mathcal{Z} \text{ is a complex Euclidean space}\}$  (see [10] for more details on this diamond norm).

Note that if  $\Sigma$  uses  $V^*$  only as a black box, then we can change the order of quantifiers and have a single mapping  $\Sigma$  for all possible  $V^*$ .

In the definition of QSZK, the verifier and the prover can use any physically admissible operation. We will show that in fact, if the zero-knowledge property holds against cheating verifiers that only use unitaries then it also holds for cheating verifiers that use any physically admissible operation. In other words, cheating strategies with unitary operations are the most general ones.

**DEFINITION 17.** We say that  $\Pi \in \text{QSZK}^U$  if there is a protocol  $\langle P, V \rangle = \langle P_1, V_1, \dots, P_n, V_n \rangle$  such that:

- *Completeness:*  $\forall x \in \Pi_Y$ , the verifier accepts with probability greater than  $2/3$ .
- *Soundness:*  $\forall x \in \Pi_N$ , and for all prover's strategies  $P^*$ , the verifier accepts with probability smaller than  $1/3$ .

- *Zero-knowledge*: for any cheating verifier  $V^*$  that uses unitaries (where  $O_{V^*}$  is the mapping associated to  $\langle P, V^* \rangle$ ), there is a function  $\mu$  and a mapping  $\Sigma : \mathcal{L}(\mathcal{W}) \rightarrow \mathcal{L}(\mathcal{V} \otimes \mathcal{W})$  that can be computed in quantum polynomial time such that  $\forall x \in \Pi_Y$ , we have

$$\|O_{V^*} - \Sigma\|_{\diamond} \leq \mu(|x|).$$

## 4.2 Unitary cheating verifiers are as powerful as general cheating verifiers

In this section, we show that in the case of cheating verifiers, coin flips – and more generally any non-unitary operations – do not add anything to the power of quantum Zero-Knowledge. In other words, we show that

**PROPOSITION 18.**  $QSZK = QSZK^U$

**PROOF.** We have by definition that  $QSZK \subseteq QSZK^U$ . We show now the other inclusion. The main idea is to say that each time the verifier uses a non-unitary, he can use a larger unitary which will act as a purification of this non-unitary which will only give him more information. More formally, we use the following fact that is a direct corollary of the purification lemma. (see [13]).

**LEMMA 19.** *Let  $C$  a quantum non-unitary circuit acting on a space  $A$ . There is a space  $B$  of same dimension as  $A$  and a unitary circuit  $\tilde{C}$  acting on  $A \otimes B$  such that  $Tr_B \tilde{C} = C$ .*

Now consider a protocol  $\langle P, V \rangle = \langle P_1, V_1, \dots, P_n, V_n \rangle$  which has the zero-knowledge property for any unitary cheating verifier  $V$ . Consider a cheating verifier  $V^*$ , the protocol  $\langle P, V^* \rangle = \langle P_1, V_1^*, \dots, P_n, V_n^* \rangle$  and its associated mapping  $O_{V^*}$  from  $\mathcal{L}(\mathcal{W})$  to  $\mathcal{L}(\mathcal{V} \otimes \mathcal{W})$ . Recall that:

$$O_{V^*} = Tr_{\mathcal{P} \otimes \mathcal{M}} (P_n \circ V_n^* \circ \dots \circ P_1 \circ V_1^*)$$

Consider now  $n$  additional Hilbert spaces  $\mathcal{A}_1$  through  $\mathcal{A}_n$  and admissible mappings  $\tilde{V}_i^*$  such that

$$\forall i \ Tr_{\mathcal{A}_i} \tilde{V}_i^* = V_i^*$$

The spaces  $\mathcal{A}_i$  are Hilbert spaces that the verifier possesses. Let us look at the protocol  $\langle P, \tilde{V}^* \rangle = \langle P_1, \tilde{V}_1^*, \dots, P_n, \tilde{V}_n^* \rangle$  and  $O_{\tilde{V}^*}$  the associated mapping for the verifier. This mapping is a mapping from  $\mathcal{L}(\mathcal{W})$  to  $\mathcal{L}(\mathcal{A}_1 \otimes \dots \otimes \mathcal{A}_n \otimes \mathcal{V} \otimes \mathcal{W})$ . We know that there is a mapping  $\Sigma$  computable in quantum polynomial time such that  $\|O_{\tilde{V}^*} - \Sigma\|_{\diamond} \leq \mu(|x|)$ .

By construction, we know that  $O_{V^*} = Tr_{\mathcal{A}_1 \otimes \dots \otimes \mathcal{A}_n} O_{\tilde{V}^*}$ . Consider  $\Sigma' = Tr_{\mathcal{A}_1 \otimes \dots \otimes \mathcal{A}_n} \Sigma$ , we can easily conclude that

$$\|O_{V^*} - \Sigma'\|_{\diamond} \leq \mu(|x|)$$

and that  $\Sigma'$  is quantum polynomial time computable which concludes our proof.

## References

- [1] Michael Ben-Or, Oded Goldreich, Shafi Goldwasser, Johan Hastad, Joe Kilian, Silvio Micali, and Phillip Rogaway. Everything provable is provable in zero-knowledge. In *CRYPTO '88: Proceedings on Advances in cryptology*, pages 37–56, New York, NY, USA, 1990. Springer-Verlag New York, Inc.

- [2] Uriel Feige, Dror Lapidot, and Adi Shamir. Multiple noninteractive zero knowledge proofs under general assumptions. *SIAM J. Comput.*, 29(1):1–28, 2000.
- [3] Shafi Goldwasser, Silvio Micali, and Charles Rackoff. The knowledge complexity of interactive proof systems. *SIAM J. Comput.*, 18(1):186–208, 1989.
- [4] Oded Goldreich, Silvio Micali, and Avi Wigderson. Proofs that yield nothing but their validity or all languages in np have zero-knowledge proof systems. *J. ACM*, 38(3):690–728, 1991.
- [5] Oded Goldreich. *Foundations of Cryptography*, volume Basic Tools. Cambridge University Press, 2001.
- [6] Oded Goldreich, Amit Sahai, and Salil Vadhan. Honest-verifier statistical zero-knowledge equals general statistical zero-knowledge. In *STOC '98: Proceedings of the thirtieth annual ACM symposium on Theory of computing*, pages 399–408, New York, NY, USA, 1998. ACM.
- [7] Joe Kilian. Founding cryptography on oblivious transfer. In *STOC '88: Proceedings of the twentieth annual ACM symposium on Theory of computing*, pages 20–31, New York, NY, USA, 1988. ACM Press.
- [8] Hirotada Kobayashi. Non-interactive quantum perfect and statistical zero-knowledge. *ISAAC '03: International Symposium on Algorithms And Computation*, 2906:178–188, 2003.
- [9] Hirotada Kobayashi. General Properties of Quantum Zero-Knowledge Proofs. *ArXiv Quantum Physics e-prints*, quant-ph/0705.1129, May 2007.
- [10] A. Yu. Kitaev, A. H. Shen, and M. N. Vyalii. *Classical and Quantum Computation*. American Mathematical Society, Boston, MA, USA, 2002.
- [11] Hoi-Kwong Lo and H. F. Chau. Is quantum bit commitment really possible? *Phys. Rev. Lett.*, 78(17):3410–3413, Apr 1997.
- [12] Dominic Mayers. Unconditionally secure quantum bit commitment is impossible. *Phys. Rev. Lett.*, 78(17):3414–3417, Apr 1997.
- [13] Michael A. Nielsen and Isaac L. Chuang. *Quantum computation and quantum information*. Cambridge University Press, New York, NY, USA, 2000.
- [14] Rafael Pass and abhi shelat. Unconditional Characterizations of Non-Interactive Zero-Knowledge. In *CRYPTO '05*, pages 118–134. Springer Berlin / Heidelberg, 2005.
- [15] Adi Shamir.  $IP = PSPACE$ . *J. ACM*, 39(4):869–877, 1992.
- [16] Salil Pravin Vadhan. *A study of statistical zero-knowledge proofs*. PhD thesis, 1999. Supervisor-Shafi Goldwasser.
- [17] John Watrous. Limits on the power of quantum statistical zero-knowledge. In *FOCS '02: Proceedings of the 43rd Symposium on Foundations of Computer Science*, pages 459–468, Washington, DC, USA, 2002. IEEE Computer Society.
- [18] John Watrous. Zero-knowledge against quantum attacks. In *STOC '06: Proceedings of the thirty-eighth annual ACM Symposium on Theory of Computing*, pages 296–305, New York, NY, USA, 2006. ACM Press.